


Professional Flash Inspection, Data Pre-load, and Sanitization

Silver Fox Pro Series

For USB3.0-Drive/USB3.0-HDD Duplicator

- ✧ **2.5GB/min copy speed**
- ✧ **Data & System Copy**
- ✧ **Inspection for Bad Sector/ Reading & Writing Speed / Real Capacity**
- ✧ **Quick Erase & DoD Erase**
- ✧ **Real-time PC-link connection**





Function & Features

Copy Performance

- ✧ Operation: Stand-alone
- ✧ Impeccable copy speed: Real test up to 2.5GB per min for each port and up to 120 ports.
- ✧ High Compatibility: Support Data & System Copy with Linux (ext2/3/4), NTFS, FAT16/32/64.
Support all formats while doing whole media copy.
- ✧ Support USB drive/ USB-HDD capacity up to 2TB
- ✧ Compatible with the USB 2.0/3.0 drives, USB 2.0/3.0 HDDs, and other various USB devices

Flash Diagnostic & Erase

- ✧ H5 Test: Inspection for Bad Sector/ Reading & Writing Speed / Real Capacity
- ✧ H6 Test: Only test no data area without losing data of flash while inspecting quality.
- ✧ 3 erase methods: Quick Erase, Full Erase, DoD Erase

Advanced Functions


- ✧ PC-link connection:
 - Real-Time Monitoring & Controlling multi-duplicator via PC screen with better efficiency

Maintenance


- ✧ Easy Maintenance: Quick Swap module helps to reduce maintenance cost.


Ergonomic

- ✧ Special guiding design helps to make flash insertion and removal easier.



Specification

Photo										
USB Model	UB905H	UB910H	UB920H	UB930H	UB940H	UB960H	UB970H	UB980H	UB9120H	
Targets	1:4	1:9	1:19	1:29	1:39	1:59	1:69	1:79	1:119	
Specification	Buffer	256MB								
	Maximum Speed Supported	2.5GB/min								
	Capacity	Up to 2TB								
	Operating Type	Support PC link for monitoring								
		Stand alone operation								
	Language Support	English, Japanese								
	Display	Monochrome LCD Display								
	Status LED	LED(Red/Green) on each slot								
Control Button	4 push buttons (▲/backward, ▼/forward, OK/confirm, ESC/exit)									
Basic & Advanced Function	Copy Function	Quick Copy (Systems & Files Copy)								
		Whole Media Copy								
		Asynchronous Duplication								
		Copy up to maximum 119 targets simultaneously								
	Compare Function	Bit by Bit data comparison simultaneously								
	Diagnostic Function	Speed Test; Capacity Test; A2 Fake Card Test								
		H3 Test: Read only								
		H5 Test: Full Read & Write								
	Erase Function	Quick Erase; Full Erase; DoD Erase								
	Format Function	FAT16/32 Format								
PC-Link	Real Time PC Monitoring									



Compatibility	Flash Devices Compatible	USB3.0/USB2.0/USB1.0-USB drives or USB HDDs
	Format Supported	Quick Copy: FAT16/32/64, NTFS, Linux(Ext2/Ext3/Ext4)
		Whole Media Copy: All Formats
	Operation system supported	All (Windows, Linux, Other stand-alone systems)
	USB3.0	Yes
	USB HDD /USB3.0 HDD	Yes
Hardware Specification	Power Supply	12V 12.5A
	Firmware Upgrade	Yes
	Working Temperature	5°C ~ 45°C
	Storage Temperature	-20°C ~85°C
	Working Humidity	20% ~ 80%
	Storage Humidity	5% ~ 95%
	Dimension(cm)	24.1x19.5x11.5~ 45x30x29.5 (120-port)
	Weight(kg)	1.9~ 19 (120-port)
Certification	FCC, CE, RoHS	